ELSEVIER

Analytica Chimica Acta 490 (2003) 379–381

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Antti, H., see Beckonert, O. 3
Antti, H., see Ebbels, T. 109
Antti, H., see Keun, H.C. 265
Armitage, J.R., see Wu, W. 365
Arnold, M.A., see Wabomba, M.J. 325

Beckonert, O.
— Bollard, M.E., Ebbels, T.M.D., Keun, H.C., Antti, H., Holmes, E., Lindon, J.C. and Nicholson, J.K.
NMR-based metabonomic toxicity classification: hierarchical cluster analysis and k-nearest-neighbour approaches 3
Beckonert, O., see Ebbels, T. 109
Beckonert, O., see Keun, H.C. 265
Bezemer, E.
— and Rutan, S.
Evaluation of synthetic liquid chromatography—diode array detection—mass spectrometry data for the determination of enzyme kinetics 17
Boger, Z.
Selection of quasi-optimal inputs in chemometrics modeling by artificial neural network analysis 31
Bogomolov, A.
— and McBrien, M.
Mutual peak matching in a series of HPLC–DAD mixture analyses 41
Bollard, M.E., see Beckonert, O. 3
Bollard, M., see Ebbels, T. 109
Bollard, M.E., see Keun, H.C. 265
Brown, S.D., see Tan, H. 291
Brown, S.D., see Woody, N.A. 355
Burns, D.H., see Gributs, C.E.W. 185
Busche, S., see Dieterle, F. 71
Buydens, L.M.C., see Hageman, J.A. 211
Buydens, L.M.C., see Huo, R. 231
Buydens, L.M.C., see Tran, T.N. 303

Cavelti, M.A., see Hope, J.L. 223
Chen, G.
— and Harrington, P.B.
Real-time two-dimensional wavelet compression and its application to real-time modeling of ion mobility data 59
Choquette, S.J., see Duewer, D.L. 85
Cordingley, H.C., see Wu, W. 365

Demuth, W., see Varmuza, K. 313
Dieterle, F.
—, Busche, S. and Gauglitz, G.
Growing neural networks for a multivariate calibration and variable selection of time-resolved measurements 71
Duewer, D.L.
—, Choquette, S.J., O'Neal, L. and Filliben, J.J.
Rare-earth glass reference materials for near-infrared spectrometry: sources of *x*-axis location variability 85
Dyson, R.
—, Maeder, M., Neuhold, Y.-M. and Puxty, G.
Analyses of three-way data from equilibrium and kinetic investigations 99

E. Bollard, M., see Beckonert, O. 3
Ebbels, T.
—, Keun, H., Beckonert, O., Antti, H., Bollard, M., Holmes, E., Lindon, J. and Nicholson, J.
Toxicity classification from metabonomic data using a density superposition approach: 'CLOUDS' 109
Ebbels, T.M.D., see Beckonert, O. 3
Ebbels, T.M.D., see Keun, H.C. 265

Farnham, I.M.
—, Johannesson, K.H., Singh, A.K., Hodge, V.F. and Stetzenbach, K.J.
Factor analytical approaches for evaluating groundwater trace element chemistry data 123
Filliben, J.J., see Duewer, D.L. 85

Gallagher, N.B., see Grate, J.W. 169
Gallagher, N.B.
—, Wise, B.M. and Sheen, D.M.
Estimation of trace vapor concentration-pathlength in plumes for remote sensing applications from hyperspectral images 139
Gan, F.
— and Hopke, P.K.
Data mining of the relationship between volatile organic components and transient high ozone formation 153
Gargallo, R., see Jaumot, J. 253
Gauglitz, G., see Dieterle, F. 71
Gerlach, R.W.
—, Nocerino, J.M., Ramsey, C.A. and Venner, B.C.
Gy sampling theory in environmental studies. 2. Subsampling error estimates 159
Grate, J.W., see Hope, J.L. 223

doi:10.1016/S0003-2670(03)00968-1

Grate, J.W.
—, Wise, B.M. and Gallagher, N.B.
Classical least squares transformations of sensor array pattern vectors into vapor descriptors. Simulation of arrays of polymer-coated surface acoustic wave sensors with mass-plus-volume transduction mechanisms 169
Gributs, C.E.W.
— and Burns, D.H.
Multiresolution analysis for quantification of optical properties in scattering media using pulsed photon time-of-flight measurements 185
Gross, G.M.
—, Prazen, B.J. and Synovec, R.E.
Parallel column liquid chromatography with a single multi-wavelength absorbance detector for enhanced selectivity using chemometric analysis 197

Hageman, J.A.
—, Wehrens, R., van Sprang, H.A. and Buydens, L.M.C.
Hybrid genetic algorithm–tabu search approach for optimising multilayer optical coatings 211
Harrington, P.B., see Chen, G. 59
Hodge, V.F., see Farnham, I.M. 123
Holmes, E., see Beckonert, O. 3
Holmes, E., see Ebbels, T. 109
Holmes, E., see Keun, H.C. 265
Hope, J.L.
—, Johnson, K.J., Cavelti, M.A., Prazen, B.J., Grate, J.W. and Synovec, R.E.
High-speed gas chromatographic separations with diaphragm valve-based injection and chemometric analysis as a gas chromatographic "sensor" 223
Hopke, P.K., see Gan, F. 153
Hopke, P.K., see Paatero, P. 277
Huo, R.
—, Wehrens, R., van Duynhoven, J. and Buydens, L.M.C.
Assessment of techniques for DOSY NMR data processing 231

Jaumot, J.
—, Vives, M., Gargallo, R. and Tauler, R.
Multivariate resolution of NMR labile signals by means of hard- and soft-modelling methods 253
Johannesson, K.H., see Farnham, I.M. 123
Johnson, K.J., see Hope, J.L. 223

Karlovits, M., see Varmuza, K. 313
Kermit, M., see Westad, F. 341
Keun, H., see Ebbels, T. 109
Keun, H.C.
—, Ebbels, T.M.D., Antti, H., Bollard, M.E., Beckonert, O., Holmes, E., Lindon, J.C. and Nicholson, J.K.
Improved analysis of multivariate data by variable stability scaling: application to NMR-based metabolic profiling 265
Keun, H.C., see Beckonert, O. 3

Lindon, J., see Ebbels, T. 109
Lindon, J.C., see Beckonert, O. 3
Lindon, J.C., see Keun, H.C. 265

Maeder, M., see Dyson, R. 99
McBrien, M., see Bogomolov, A. 41

Neuhold, Y.-M., see Dyson, R. 99
Nicholson, J., see Ebbels, T. 109
Nicholson, J.K., see Beckonert, O. 3
Nicholson, J.K., see Keun, H.C. 265
Nocerino, J.M., see Gerlach, R.W. 159

O'Neal, L., see Duewer, D.L. 85

Paatero, P.
— and Hopke, P.K.
Discarding or downweighting high-noise variables in factor analytic models 277
Prazen, B.J., see Gross, G.M. 197
Prazen, B.J., see Hope, J.L. 223
Puxty, G., see Dyson, R. 99

Ramsey, C.A., see Gerlach, R.W. 159
Roberts, S.L.L., see Wu, W. 365
Rutan, S., see Bezemer, E. 17

Sheen, D.M., see Gallagher, N.B. 139
Singh, A.K., see Farnham, I.M. 123
Small, G.W., see Wabomba, M.J. 325
Stetzenbach, K.J., see Farnham, I.M. 123
Synovec, R.E., see Gross, G.M. 197
Synovec, R.E., see Hope, J.L. 223

Tan, H.
— and Brown, S.D.
Multivariate calibration of spectral data using dual-domain regression analysis 291
Tauler, R., see Jaumot, J. 253
Tooke, P., see Wu, W. 365
Tran, T.N.
—, Wehrens, R. and Buydens, L.M.C.
SpaRef: a clustering algorithm for multispectral images 303

van Sprang, H.A., see Hageman, J.A. 211
van Duynhoven, J., see Huo, R. 231
Varmuza, K.
—, Karlovits, M. and Demuth, W.
Spectral similarity versus structural similarity: infrared spectroscopy 313
Venner, B.C., see Gerlach, R.W. 159
Vives, M., see Jaumot, J. 253

Wabomba, M.J.
—, Small, G.W. and Arnold, M.A.
Evaluation of selectivity and robustness of near-infrared glucose measurements based on short-scan Fourier transform infrared interferograms 325

Wehrens, R., see Hageman, J.A. 211
Wehrens, R., see Huo, R. 231
Wehrens, R., see Tran, T.N. 303
Westad, F.
— and Kermit, M.
Cross validation and uncertainty estimates in independent component analysis 341
Wildsmith, S.E., see Wu, W. 365
Wise, B.M., see Gallagher, N.B. 139
Wise, B.M., see Grate, J.W. 169
Woody, N.A.
— and Brown, S.D.
Partial least-squares modeling of continuous nodes in Bayesian networks 355
Wu, W.
—, Roberts, S.L.L., Armitage, J.R., Tooke, P., Cordingley, H.C. and Wildsmith, S.E.
Validation of consensus between proteomic and clinical chemistry datasets by applying a new randomisation *F*-test for generalised procrustes analysis 365

VOL. 490

CONTENTS

2003